

**GENERAL PLAN NOTES**

1. All work and materials shall be according to the latest addition of "Standard Specifications for Road, Bridge, and Municipal Construction" prepared by Washington State Department of Transportation (WSDOT) together with "Division 1" APWA Supplement, City of Mill Creek Standard Specifications, and any conditions of approval. It shall be the sole responsibility of the applicant and the professional Civil Engineer to correct any error, omissions, or variation from the above requirements found in these plans. All corrections shall be at no additional cost or liability to the City of Mill Creek.
2. All work within the site shall be subject to the inspection of the City Engineer or designated representative.
3. Prior to beginning road construction, the applicant, their engineer and road contractor shall meet with the Department of Public Works for a pre-construction meeting.
4. A copy of these approved plans must be on the site whenever construction is in progress.
5. Prior to any site construction that includes clearing/logging or grading the site/lot clearing limits shall be located and identified by the project surveyor/engineer as required by these plans and approved by the City.
6. The temporary erosion/sedimentation control facility shall be constructed prior to any grading or extensive land clearing in accordance with approved temporary erosion/sedimentation control plan. These facilities must be satisfactorily maintained until construction and landscaping is completed and the potential for on-site erosion has passed.
7. Public streets shall be cleaned once per day or as directed by the City. Flushing of streets with water will not be allowed.
8. Locations of existing utilities are approximate. The contractor shall be responsible for verifying the locations of existing utilities prior to construction. Utilities shown here are for the purposes of assisting the contractor in locating said utilities. Contractor shall contact underground utilities location center (1-800-424-5555) 48 hours prior to beginning of construction and obtain on-site utility locations.
9. The contractor shall comply with all other necessary permits and requirements by the City of Mill Creek governing authority/agency.
10. Unless otherwise approved by the City Engineer, from October 1 through April 30, no soils shall remain exposed and unworked for more than 2 days and from May 1 through September 30, no soils shall remain exposed and unworked for more than 7 days. Any unworked soil shall be stabilized with a City approved best management practice (BMP).

APPROVED BY:



Douglas Jacobson, P.E.  
Director of Public Works/City Engineer