

LUMINAIRE:
 BPM-2246/NATURAL (BEACON SERIES BY TEKA) WITH CAST BRONZE LOWER HOUSING AND CAP, COPPER SHADE, SOLID BRASS SPACERS AND CLEAR CYLINDRICAL GLASS LENS.
COLOR: NATURAL
VOLTAGE: 120V
LAMP: 100W HPS (PROVIDED BY GE, PHILIPS OR SYLVANIA)
OPTICS: TYPE V, SHORT, CUTOFF

POLE:
 PTR5-1308 (BY TEKA) WITH SMOOTH TAPERED (3" O.D. TOP & 5" O.D. BOTTOM) ALLOY ALUMINUM SHAFT WITH HINGED BASE ASSEMBLY (NO HANDHOLE) AND POLE MOUNTED BALLAST (TEKA #BMB).
COLOR: CARDINAL TO25BR01 (CUSTOM BRONZE)

BASE COVER:
 COVER CONSISTS OF TWO PIECE DECORATIVE CAST ALUMINUM COMPONENTS (ROUND).


BASE PLATE:
 BASE PLATE COMES WITH TEKA ANCHOR KIT #PTR-A. BOLT PROJECTION SHALL NOT EXCEED 3-1/2".

2" SLIP FITTER DEPTH

NOTES:

1. THIS STANDARD SHALL APPLY TO SIDEWALKS INSTALLED ALONG THE EAST SIDE OF SR 527 (BOTHELL- EVERETT HWY) OR AS REQUESTED BY CITY OF MILL CREEK.
2. INSTALLATION OF ALL LUMINAIRE COMPONENTS SHALL COMPLY WITH MANUFACTURER'S RECOMMENDATIONS.
3. POWER TO LUMINAIRE SHALL BE FED FROM ADJACENT BUILDING'S ELECTRICAL SERVICE PANEL, EQUIPPED WITH TIMER.

FOR FOUNDATION DETAILS SEE CITY OF MILL CREEK STANDARD PLAN LGT 082

 DEPARTMENT OF PUBLIC WORKS	STANDARD PLAN	LGT 072
	TEKA PEDESTRIAN PATH LIGHT	
APPROVED: <i>Angela Jefferson</i> Director of Public Works/City Engineer		
REVISION: MAR 2005	NOT TO SCALE	BY: JC